

Sun Rise

INT'L INDUSTRY & DEVELOPMENT LTD

Sun Rise

Company Profile

Sun Rise is a manufacturer which specializes in R&D and production of LED Pool Light ODM & OEM in fields of LED Swimming Pool Light, Underwater Light, Fountain Light.

Our factory is located in Shunde, Fo Shan, China, owning 4000 square meters scale factory, having more than 100 skillful employees including 15 R&D engineers and 10 sales elites, Sun Rise has strong product R&D and manufacturing ability & very good after-sale service. Since Launched our production line in 2006, our advanced production lines, precise equipment, strict quality control process and experienced engineer team are capable to fulfill the toughest requirement from customers worldwide.

Our Spirit

Present up-to-date products with stable quality, best price as well as perfect service. We are chasing long-term business relationship through mutual trust & would like mutual growth with our partners worldwide. Employees are blood of company, keep happy working environment.

Our Vision

5-WINS: Customers Win, Suppliers Win, consumers Win, our Employees Win, then our company Wins.

Our Mission

We are dedicated to the highest standard of excellence in the designing and manufacturing of various LED lamps, with an unmatched commitment to exceptional customer service, product support and order fulfillment.

R&D Capacity

Over 15 experienced R&D engineers providing solution to customer anytime. 2-3 new products every month keeping us to be one of most innovated factory.

OEM/ODM capacity

Our 4000-square-meter factory, more 150 skilled workers, 5 assembly lines, automatic insertion machine (AI), one set of wave soldering machine, sphere testing equipment and SMT machine which support monthly capacity 10,000 units.

CE, RoHs Compliance

All our products are CE, RoHs and FCC compliance.

PAR56 Replacement Bulb




Item NO.: SR-PL170

- Input voltage: 12V~18V
- •Made of super bright SMD 18W/23W/30W/33W/55W LEDs with high quality.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in white box, White box size: 20*20*8.5 cm, 20 pcs white boxes in one carton carton size: 46*44*39 GW.: 18.8 KG N.W.: 18 KG

Model	Voltage	RGB		W	hite	LED
Model	voltage	Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity(PCS)
		18	900	21	2100	252
	12V~18V AC/DC	23	1150	26	2600	324
SD DI _170		30	1500	33	3300	432
SK-FL-1/0	12 v~18 v AC/DC	33	1650	36	3600	531
		40	2000	45	4500	630
		55	2750	60	6000	630



Item NO.: SR-PL003

• Input voltage: 12V~18V

•PC housing makes it acid-proof and alkali-proof.

•Made of super bright SMD 18W/23W/30W/33W/55W LEDs with high quality.

•The lamp is filled with resin inside, which make 100% waterproof.

•Low power consumption, high stability.

•Supports 16 different kinds of color styles.

•Long working life, up to 60,000 hours.

•Easy to install, suitable for swimming pools, fountains, etc.

•With 4M Cable

•3 years warranty

•CE &ROHS approval

•Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 26*26*6.5cm, 12 pcs white boxes in one carton, carton size: 53.5*27*42cm.

GW.:17 KG

N. W.: 16.2 KG

Model	X7.14	RGB		W	hite	LED
	Voltage	Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity (pcs)
		18	900	21	2100	252
	12V~18V AC/DC	23	1150	26	2600	324
SD DI 002		30	1500	33	3300	432
SK-FL003		33	1650	36	3600	531
		40	2000	45	4500	630
		55	2750	60	6000	630




Item NO.: SR-PL005

- Input voltage: 12V~18V
- •PC housing makes it acid-proof and alkali-proof.
- •Made of super bright SMD 18W/23W/30W/33W/55W LEDs with high quality.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 26*26*6.5cm, 12 pcs white boxes in one carton, carton size: 53.5*27*42cm. GW::17 KG N. W.: 16.2 KG

Model	Voltago	RGB		W	hite	LED
	Voltage	Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity (pcs)
		18	900	21	2100	252
	12V~18V AC/DC	23	1150	26	2600	324
SD DI 005		30	1500	33	3300	432
SK-FL003		33	1650	36	3600	531
		40	2000	45	4500	630
		55	2750	60	6000	630



Item NO.: SR-PL006

- Input voltage: 12V~18V
- •PC housing makes it acid-proof and alkali-proof.
- •Made of super bright SMD 18W/23W/30W/33W/55W LEDs with high quality.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 26*26*6.5cm, 12 pcs white boxes in one carton, carton size: 53.5*27*42cm.

GW::17 KG

N.W.: 16.2 KG

Model	Voltage	RGB		W	hite	LED
		Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity(pcs)
		18	900	21	2100	252
	12V~18V AC/DC	23	1150	26	2600	324
SD DI 006		30	1500	33	3300	432
SK-FL000		33	1650	36	3600	531
		40	2000	45	4500	630
		55	2750	60	6000	630



Item NO.: SR-PL001

- Input voltage: 12V~18V
- •Stainless housing 316 is impossible to rust.
- •Made of super bright SMD 18W/23W/30W/33W/55W LEDs with high quality.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 33.5*33.5*6cm, 12 pcs white boxes in one carton, carton size:69*35.5*42cm GW: 20 KG N.W.: 19 KG

Model Voltage	Voltage	RGB		W	hite	LED
Model	voltage	Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity(pcs)
		18	900	21	2100	252
	12V~18V AC/DC	23	1150	26	2600	324
SD DI 001		30	1500	33	3300	432
SK-FLUUT		33	1650	36	3600	531
		40	2000	45	4500	630
		55	2750	60	6000	630



Item NO.: SR-PL002

- Input voltage: 12V~18V
- •Stainless housing 316 is impossible to rust.
- •Made of super bright SMD 18W/23W/30W/33W/55W LEDs with high quality.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 33.5*33.5*6cm, 12 pcs white boxes in one carton carton size:69*35.5*42cm GW.: 20 KG N.W.: 19 KG

Model Vo	Voltago	RGB		W	hite	LED
	Voltage	Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity(pcs)
	18	900	21	2100	252	
	10V 10V A C/D C	23	1150	26	2600	324
CD DI 002		30	1500	33	3300	432
SK-PL002	12V~18V AC/DC	33	1650	36	3600	531
		40	2000	45	4500	630
		55	2750	60	6000	630

1.5" Threading LED POOL LIGHTS



Item NO.: SR-PL028

- Input voltage: 12V~18V
- •Made of super bright SMD 6W LEDs with high quality.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in white box, White box size: 13*13*12cm, 24 pcs white boxes in one

carton, carton size: 53.5*27*42cm GW::15.7 KG N.W.: 14.9KG

Model	Voltaga	RGB		W	Thite	LED
	Voltage	Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity(PCS)
SR-PL028	12V~18V AC/DC	6	300	7	700	99

1.5" Threading LED POOL LIGHTS



This Lamp is supper thin. Its thickness is merely 10mm

Item NO.: SR-PL029

• Input voltage: 12V~18V


- •Made of super bright SMD 18W/23W/30W/33W LEDs with high quality.
- •PC housing makes it acid-proof and alkali-proof.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 26*26*15cm, 6 pcs white boxes in one carton,

carton size: 53.5*27*50cm GW.: 9 KG N.W.: 8.1 KG

Model	Voltage	RGB		W	hite	LED
		Power (W)	Lumen(LM)	Power (W)	Lumen(LM)	Quantity(PCS)
	12V~18V AC/DC	18	900	21	2100	252
SD DI 020		23	1150	26	2600	324
SK-PL029		30	1500	33	3300	432
		33	1650	36	3600	531

2" Threading LED POOL LIGHTS



Item NO.: SR-PL029S

• Input voltage: 12V~18V

- •Made of super bright SMD 18W/23W/30W/33W LEDs with high quality.
- •PC housing makes it acid-proof and alkali-proof.
- The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- 3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 26*26*15cm, 6 pcs white boxes in one carton,

carton size: 53.5*27*50cm GW.: 9 KG N. W.: 8.1 KG

Model	Voltage	RGB		W	hite	LED
		Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity (PCS)
	12V~18V AC/DC	18	900	21	2100	252
SD DI 020		23	1150	26	2600	324
SR-PLU29		30	1500	33	3300	432
		33	1650	36	3600	531

2" Threading LED POOL LIGHTS



Item NO.: SR-PL008

- •Input voltage: 12V~18V
- •Made of super bright SMD 18W/23W/30W/33W LEDs with high quality.
- •PC housing makes it acid-proof and alkali-proof.
- •The lamp is filled with resin inside, which make 100% waterproof.
- •Low power consumption, high stability.
- •Supports 16 different kinds of color styles.
- •Long working life, up to 60,000 hours.
- •Easy to install, suitable for swimming pools, fountains, etc.
- •With 4M Cable
- •3 years warranty
- •CE &ROHS approval
- •Single color or RGB color are available

Packing: Each lights packed in color box, Color box size: 26*26*13cm, 6 pcs white boxes in one carton,

carton size: 53.5*27*42cm GW.:11 KG N.W.: 10.2 KG

Madal Valtaga		RGB		W	hite	LED
Model	Voltage	Power(W)	Lumen(LM)	Power(W)	Lumen(LM)	Quantity(pcs)
		18	900	21	2100	252
	12V~18V AC/DC	23	1150	26	2600	324
CD DI 008		30	1500	33	3300	432
SK-FL008		33	1650	36	3600	531
		40	2000	45	4500	630
		55	2750	60	6000	630



Item NO.: RC01B

- RFcontrol Without transformer
- Input: 12VDC, Output:12VAC
- One controller can control up to 12 lights according to the capacity of the transformer used.
- Control range up to 100 meters.
- 2 year guaranty

Parameter:

Basic Parameter for RC01B (no transformer)

• Pack Volume: 135mm×135mm×45mm

• Weight: 0.55KG

Work temperature: -40°C~ +70°C
Work humidity: 10% ~90% RH

• Control Distance: 50M

Electric Parameter

• Input Voltage: AC12V

• Input Current: 0.5A-30A(according to the total LED lights you use)


• Output Voltage: AC12V

• Output Current: 0.5A-30A(according to the total LED lights you use)

• Dynamic Current: According to your loads (standard:0.5A)

Quiescent Current: < 6mA RF Sensitivity(dBm) -101

• Provide Power: 360VA





Item NO.: RC01B-WIFI

•WIFI & RF control Without transformer

• Input: 12VDC, Output:12VAC

• Use your mobile phone to remote control the lights via WiFi.

• One controller can control up to 12 lights according to the capacity of the transformer used.

• Control range up to 100 meters.

•2 year guaranty

Parameter:

•Water-resistant level: IP65

• Dimension: 135mm x 135mmx 45mm

• Weight: 0.5Kg


Input Voltage: 12V ACOutput Voltage: 12V AC

Working temperature: -40°C ~ +70°C
Working humidity: 10% ~ 90% RH
Wifi Range: Within 100 meters

PACKING: RC01B-WF-N Controller × 1 Antenna × 1











Item NO.: RC04B

- •WIFI & RF control With transformer
- Input: 110~240V AC, Output:12VAC
- Control range up to 100 meters.
- 2 year guaranty

Parameter:

• Housing Protection: IP65

• Housing Size: 195mm x 195mm x 90mm

• Weight: 3.75kgs


Input Voltage: 110~240VOutput Voltage: 12V

• Maximum Power Output at 12V Terminal: 220W

• Maximum Power Connected to Aux Terminals: 1500W/240V

• Control distance: 100m

Working temperature: -40°C ~ +70°C
Working humidity: 10% ~ 90% RH







Item NO.: RC04B-WIFI

- WIFI & RF control With transformer
- Input: 110~240V AC, Output:12VAC
- Control range up to 100 meters.
- 2 year guaranty

Parameter:

• Housing Protection: IP63

• Housing Size: 195mm x 195mm x 90mm

• Weight: 3.8kgs

Input Voltage: 110~240VOutput Voltage: 12V

• Maximum Power Output at 12V Terminal: 220W

• Maximum Power Connected to Aux Terminals: 1500W/240V

• Control distance: 100 Meters

Working temperature: -40°C ~ +70°C
Working humidity: 10% ~ 90% RH


PACKING

RC04B-WF-R Controller × 1 Antenna × 1 Remote emitter × 2










Accessory



Drill this part with a M6 boring crown if using for Hayward Niche.


Universal Retrofit Bracket fro Niche Lights, fit for most type of niches all over the world Tapping Holes for Reference:

- NO.1 For Model SR-PL001
- NO.2 For Model SR-PL003, SR-PL005, SR-PL006
- NO. 3 For Model SR-PL008
- NO.4 For Model SR-PL029C
- NO.5 For most type of PAR56 Niche
- NO.6 For most type of Pentair Niche

Item NO.: ASC-USA

For Model SR-PL001








For Mode SR-PL003, SR-PL005, SR-PL006









For Model SR-PL008







For Model SR-PL-029






Accessory





Item NO.: ACS003

ACS003 Installation


For model SR-PL001








For model SR-PL002






For model SR-PL003, SR-PL005, SR-PL006




Accessory




Item NO.:ACS008

ACS008 Installation

For model SR-PL008



For model SR-PL038





SUN RISE INT'L INDUSTRY & DEVELOPMENT LTD

Address: Tianren Industrial Estate, Liandu Village, Leliu Town,

Shunde District, Foshan City, Guangdong, China Tel: 86-20-23334768 Fax: 86-20-23334768

Contact: Candy Lei

Email: sales@sunrisepl.com

Skype: candylei801

Website: www.sunrisepl.com